

# **PIPER**

# TASK CHAIRS

Design: S.I. DESIGN STUDIO





Piper is a comfortable task chair suitable for everyone: it is equipped with a self-weighting mechanism, which adjusts the capacity according to the user. Its perforated polypropylene backrest, in white or black finish, is fresh and breathable, good for every season: upon request it may be upholstered in fabric or eco-leather for greater comfort.

#### **Technical features**

Seat	Multilayer	
Backrest	Perforated polypropylene	
Lumbar suppoprt	Nylon, height-adjustable by up-down system	
Padding	Flexible polyurethane foam seat 4,5 cm thick, density 40 rc backrest pad 1 cm thick, density 40 rc	
Armrests	3D height adjustable in polypropylene with polyurethane sliding pad or height-adjustable in polypropylene	
Mechanism	MEC 8 Self-adjusting multi block syncro with shock proof device and seat slide	S.
Height adjustment	Gas pump (UNI9084 Certified)	
Castors	AR8 polyamide ø50 mm	
Swivel base	B67 Black nylon B69 white nylon	



# Components and/or modules

Image	Dimensions		Code	Description
	Н	93-99	 P60D 	Task armchair,height adjustable backrest by
	L	50		updown system, self-adjusting syncro mechanism with shock proof device, seat
	Р	70		slider, black base and outer shell
	Н	55	— SHP60	Upholstered black polypropylene backrest
	L	30-45		pad
ΓΓ			BRP60	Pair of height-adjustable polypropylene armrests, sliding and rotating PU armpads
ŢŢ			BRP61	Pair of height adjustable polypropylene armrests





	Н	93-99		T. 1	
	L	50	B60D	Task armchair, height adjustable backrest by up-down system, self-adjusting syncro mechanism with shock proof device, seat	
	Р	70		slider, white base and outer shell	
	Н	55			
	L	30-45	SHB60	Upholstered white polypropylene backrest pad	
			BRB60	Pair of height-adjustable white polypropylene armrests, sliding and rotating black PU armpads	
TJ			BRB62	Pair of height adjustable white polypropylene armrests with black armpads	





# Materials and finishings

Cat.	Material		Description	Certifications	Link
1		Madrid 13 colors	Weight: ± 230 g/mq Composition: 100% PP polypropylene F.R. Martindale: 80.000 cycles	Fire proof class 1IM	8
1		Cove 13 colors	Weight: ± 565 g/mq Composition: 82% PVC - 7% Cotton - 11% Polyester Martindale: 50.000 cycles		0
2		Angel 13 colors	Weight: ± 228 g/mq Composition: 100% polypropylene F.R. Martindale: 100.000 cycles	Fire proof class 1IM	6
2		One 15 colors	Weight: ± 350 g/mq Composition: 100% recycled polyester Martindale: 100.000 cycles	OEKO-TEX ® STANDARD 100  E3313 o CHRISTOR  Tradition statute value  was used to a contractor?  Fire proof class 1IM	<b>%</b>
2		<b>Gazebo</b> 15 colors	Weight: ± 640 g/mq Composition: 87,5% Plasticized polyvynilchloride – 12,5% Cotton Martindale: 50.000 cycles	Fire proof class 1IM	<b>%</b>
2		King-flex 15 colors	Weight: ± 300 g/mq Composition: 100% Polyester Trevira CS Martindale: 100.000 cycles	Trevira  STANDARD 100 GP3936 CHINGOT  Their proof class 1IM	%
3		Secret 15 colors	Weight: ± 540 g/mq Composition: 76% PVC - 2% PU - 22% PES Martindale: 60.000 cycles Features: waterproof, UV rays resistant, suitable for outdoor	Fire proof class 1IM	96
3		Mini 15 colors	Weight: ± 340 g/mq Composition: 100% Polyester Trevira CS Martindale: 100.000 cycles	CEKO-TEX® STANDARD 100 STANDARD	90
3		Sealife 15 colors	Weight: ± 330 g/mq Composition: 100% Recycled polyester SEAQUAL certified Martindale: 100.000 cycles	Global Recycled Standard Certified by ICEA  Fire proof class 1IM	8



Cat.	Material		Description	Certifications	Link
5		Step 15 colors	Weight: ± 340 g/mq Composition: 100% Trevira CS Martindale: 100.000 cycles	CEKO-TEX® STANDARD 100 STANDARD	8
5		Go Check 15 colors	Weight: ± 310 g/mq Composition: 100% Trevira CS Martindale: 200.000 cycles Features: antibacterial, hypoallergenic, non-toxic	Trevira    Corporation   Corpo	90
5		<b>Lana</b> 13 colors	Weight: ± 410 g/mq Composition: pure new wool Martindale: 50.000 cycles Features: 100% recyclable fabric	OEKO-TEX © CENTRALES OF TEXT STANDARD 100 MOROODE CONTROL OF TEXT STANDARD 100 MOROODE CONTROL OF TEXT STANDARD 100 Fire proof class 1 M	0
5		Extrema 15 colors	Weight: ± 480 g/mq Composition: 63% PU - 29% COT - 8% PES Martindale: 150.000 cycles Features: antibacterial protection	Ultra-Fresh*  Fire proof class 1IM	6

### Certifications

















Class 1IM fire homologation available upon request. FSC® certificate finder.



https://www.sitlosophy.com/en/seat/piper/



#### **INSTRUCTIONS FOR USE AND MAINTENANCE**

#### **GENERAL INFORMATION**

If the chair is used as a computer station, the angles between foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

#### **GAS PUMP FOR HEIGHT-ADJUSTMENT**

Instructions for use: The height adjustment of the seat with a gas pump is obtained by pulling the mechanism lever upwards.

Maintenance instructions: The pump does not require particular maintenance but it is advisable to avoid direct contact with the sliding parts as they contain lubricant.

Warnings: Do not open the gas column by force. Only specialized personnel can replace or repair the gas column.

#### **MECHANISMS**

Instructions for use: All anti-shock mechanisms have a safety system which, once unlocked, is activated with a slight backward movement of the backrest, to avoid the sudden and accidental return forward.

Maintenance instructions: It is recommended to periodically clean the mechanism to prevent dust or other indoor pollutants from compromising its operation or causing squeaks. Warnings: All the adjustments of the mechanisms (height, side shift, seat and backrest adjustment, oscillation) must be operated while seated to avoid putting the mechanism under improper strain. During the adjustment phases, pay attention to avoid any risk of fingers trapping or crushing.

#### **UPHOLSTERIES**

Maintenance instructions:

Synthetic leather: Clean with a damp cloth, neutral soap and rinse well with water. Strictly avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, materials with light colors cannot be put in contact with clothes containing unfixed dyes (eg denim jeans and derivatives) to avoid stains or halos that are difficult to remove.

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would modify the fire characteristics of the fabric. Gently dab the edges in the center of the stain, do not rub. After stain removal it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. Strictly avoid

the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product.

Genuine leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth moistened with water neutral soap by making regular circular movements. Gently dry after treatment. Gently dab from the edges to the center of the stain, do not rub. Strictly avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner with a smooth nozzle regularly, without brushing or rubbing in any way. Strictly avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some coverings (leather, imitation leather, textured fabrics) may have a slightly different aesthetic result depending on the batch, the dye bath and the type of product they are going to cover. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change its appearance and texture over time, this is to be considered normal.

#### **UNPADDED SEATING MATERIALS**

Maintenance instructions:

Mesh coverings: Use the vacuum cleaner with smooth nozzle regularly, without brushing or rubbing in any way. Any stains can be removed using a cloth moistened with water and neutral soap with regular circular movements. Strictly avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any residual dust or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powdered cleaners that could damage the paint. Strictly avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wood surfaces, being a natural material itself, may undergo color changes with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a soft, damp cloth soaked in water. We do not recommend the use of dry cloths which, with rubbing, could electrostatically charge the plastic surface, attracting dust.

For tubborn stains, mild liquid soap, diluted in water can be used in moderation. Strictly avoid

the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive substances such as powder detergents, abrasive pastes, steel wool or rough sponges. Avoid dragging objects on surfaces that can scratch the material.

# CHROME OR PAINTED BASES AND METAL STRUCTURES

Maintenance and cleaning instructions: Both the metal surfaces in steel or aluminum and the painted surfaces must be cleaned with a soft, damp cloth soaked in hot water; for more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and abrasive sponges that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as, for example, muriatic acid, ammonia, denatured alcohol, bleach, sulfuric acid, soda, etc.

#### **CASTORS**

Advice: For chairs placed on tiled floors, carpets or rugs, we recommend polyamide wheels.

For hard floors like stone, wood, laminate, the use of soft desmopan castors is recommended. Maintenance and cleaning instructions: It is advisable to periodically clean the castors in order to avoid the accumulation of dirt that may be cause of malfunctioning.

Warning: Do not force the sliding of castors on floors with deep joints as the difference in level can cause them to break.